2000 Mississippi Diabetes Fact Sheet

National rankings for diabetes prevalence and mortality

2000 is the latest year for which national/state prevalence data are available.

1999 is the latest year for which national/state mortality data are available.

<u>Note</u>: 1^{st} = highest prevalence or mortality rate, out of 50 states and D.C. (unless otherwise

indicated).

	Diabetes prevalence 2000	Diabetes mortality 1999
Overall (all race groups, both sexes, all ages)	2 nd	39 th
Males	13 th	40 th
Females	2 nd	38 th
White males	N/A	48 th (out of 49§)
Black males	N/A	27 th (out of 29§)
White females	N/A	48 th (out of 50§)
Black females	N/A	33 rd (out of 34§)

N/A=not available

§states with reliable rates

Diabetes Prevalence

Overall		Diabetes prevale	ence (%): overall	
(all race groups, both sexes)		2000	1995	1990
All ages	Number	151,491	121,137	123,685
	Percentage	7.6	6.4	6.9
	Age-adjusted percentage†	N/A	N/A	N/A
Age group 25-34	Number	9,862	no data	9,758
	Percentage	2.6	no data	2.4
Age group 35-44	Number	20,588	14,141	7,647
	Percentage	5.2	3.5	2.2
Age group 45-54	Number	21,781	19,903	20,620
	Percentage	6.3	6.6	8.4
Age group 55-64	Number	32,057	21,179	29,104
	Percentage	13.7	9.9	14.2
Age group 65-74	Number	42,375	38,858	30,816
	Percentage	18.8	19.5	16.4
Age group 75-84	Number	18,073	17,846	17,263
	Percentage	17.2	15.5	15.5
Age group 85+	Number	4,027	3,873	4,627
	Percentage	21.0	15.5	25.2
Males	Number	64,598	34,022	42,687
	Percentage	6.9	3.8	5.0
	Age-adjusted percentage†	N/A	N/A	N/A
Females	Number	86,893	87,114	80,997
	Percentage	8.2	8.6	8.6
	Age-adjusted percentage†	N/A	N/A	N/A

White males	Diabetes prevalence: white males			
		2000	1995	1990
All ages	Number	43,255	19,931	21,007
	Percentage	6.9	3.3	3.8
	Age-adjusted percentage†	N/A	N/A	N/A
Age group 25-34	Number	1,098	no data	2,015
	Percentage	1.0	no data	1.6
Age group 35-44	Number	6,667	1,704	1,217
	Percentage	5.3	1.3	1.0
Age group 45-54	Number	6,088	2,418	2,334
	Percentage	5.2	2.3	2.8
Age group 55-64	Number	7,666	4,965	4,047
	Percentage	9.2	6.8	5.9
Age group 65-74	Number	16,561	7,455	8,743
	Percentage	20.7	13.8	15.5
Age group 75-84	Number	5,175	2,711	1,590
	Percentage	25.6	8.3	6.5
Age group 85+	Number	no data	678	1,060
	Percentage	no data	12.5	40.0

Black males	Diabetes prevalence (%): black males			
		2000	1995	1990
All ages	Number	21,343	10,600	20,621
	Percentage	8.1	4.0	8.0
	Age-adjusted percentage†	N/A	N/A	N/A
Age group 25-34	Number	no data	no data	no data
	Percentage	no data	no data	no data
Age group 35-44	Number	841	no data	no data
	Percentage	1.5	no data	no data
Age group 45-54	Number	3,925	1,746	4,685
	Percentage	10.4	5.6	18.2
Age group 55-64	Number	6,903	no data	7,456
	Percentage	31.8	no data	30.0
Age group 65-74	Number	3,975	5,534	2,423
	Percentage	19.5	25.1	11.1
Age group 75-84	Number	4,968	3,320	3,634
	Percentage	62.5	23.1	23.1
Age group 85+	Number	no data	no data	2,423
	Percentage	no data	no data	50.0

White females	Diabetes prevalence (%): white females			
		2000	1995	1990
All ages	Number	41,435	35,522	35,482
	Percentage	6.1	5.5	5.9
	Age-adjusted percentage†	N/A	N/A	N/A
Age group 25-34	Number	4,541	1,097	2,911
	Percentage	4.2	1.0	2.4
Age group 35-44	Number	5,295	3,522	5,282
	Percentage	4.2	2.8	4.6
Age group 45-54	Number	6.123	4,657	3,822
	Percentage	5.2	4.3	4.4
Age group 55-64	Number	6,090	4,869	5,742
	Percentage	6.7	6.0	7.8
Age group 65-74	Number	9,845	11,797	9,108
	Percentage	12.1	14.4	12.5
Age group 75-84	Number	7,384	7,594	5,520
	Percentage	11.7	14.8	11.9
Age group 85+	Number	1,231	1,085	552
	Percentage	13.8	9.4	10.0

Black females	Diabetes prevalence (%): black females			
		2000	1995	1990
All ages	Number	41,772	50,908	44,293
	Percentage	12.7	15.1	14.0
	Age-adjusted percentage†	N/A	N/A	N/A
Age group 25-34	Number	2,534	no data	4,832
	Percentage	3.6	no data	6.4
Age group 35-44	Number	7,353	8,916	1,148
	Percentage	9.7	13.3	2.1
Age group 45-54	Number	5,243	7,590	8,557
	Percentage	9.9	16.7	23.3
Age group 55-64	Number	11,397	11,345	11,859
	Percentage	34.7	34.8	34.3
Age group 65-74	Number	11,449	14,071	9,482
	Percentage	29.4	37.7	29.6
Age group 75-84	Number	545	4,221	6,519
	Percentage	5.3	26.1	30.14
Age group 85+	Number	2,181	2,111	593
	Percentage	44.4	36.4	11.1

Diabetes Mortality

Overall (all race groups, both sexes		2000 ICD-10 codes: E10-E14	1990 ICD-9 code: 250	1980 ICD-9 code: 250
All ages	Deaths	670	440	410
	Crude rate*	23.6	17.1	16.2
	Age-adjusted rate*†	24.7	18.6	19.5
Age group 25-34	Deaths	7	5	4
	Rate*	1.8	1.2 ^U	1.1 ^U
Age group 35-44	Deaths	23	17	21
	Rate*	5.4	4.9 ^U	8.1
Age group 45-54	Deaths	65	31	21
	Rate*	18.0	12.6	9.1
Age group 55-64	Deaths	92	73	61
	Rate*	37.4	34.1	28.2
Age group 65-74	Deaths	158	126	128
	Rate*	85.1	70.3	71.1
Age group 75-84	Deaths	183	118	133
	Rate*	159.2	108.5	154.8
Age group 85+	Deaths	137	69	41
nor 100 000 nonu	Rate	319.4	219.1	174.4

^{*}per 100,000 population †adjusted to the 2000 U.S. population U=unreliable rate (due to small numbers)

White males		2000 ICD-10 codes: E10-E14	1990 ICD-9 code: 250	1980 ICD-9 code: 250
All ages	Deaths	155	84	94
	Crude rate*	18.1	10.5	11.9
	Age-adjusted rate*†	19.3	12.5	17.6
Age group 25-34	Deaths	1	8	3
	Rate*	0.9	2.1‡ ^U	0.8‡ ^U
Age group 35-44	Deaths	7	8	8
	Rate*	5.2	2.2‡ ^U	2.8‡ ^U
Age group 45-54	Deaths	19	29	18
	Rate*	15.8	10.8‡	7.3‡ ^U
Age group 55-64	Deaths	27	31	42
	Rate*	31.0	13.7‡	19.2‡
Age group 65-74	Deaths	46	88	65
	Rate*	73.4	51.6‡	41.5‡
Age group 75-84	Deaths	40	69	75
	Rate*	124.4	84.3‡	119.3‡
Age group 85+	Deaths	15	22	25
100000	Rate*	196.5	130.5‡	187.2‡

^{*}per 100,000 population †adjusted to the 2000 U.S. population

[‡]These rates were averaged over a 3-year period to make them more stable. 1980 rates were averaged over 1979-1981. 1990 rates were averaged over 1989-1991.

U=unreliable rate (due to small numbers)

Black males		2000 ICD-10 codes: E10-E14	1990 ICD-9 code: 250	1980 ICD-9 code: 250
All ages	Deaths	106	75	64
	Crude rate*	20.5	17.7	15.3
	Age-adjusted rate*†	35.5	28.1	22.6
Age group 25-34	Deaths	3	5	2
	Rate*	4.3	2.6‡ ^U	1.2‡ ^U
Age group 35-44	Deaths	3	17	12
	Rate*	4.1	11.2‡ ^U	13.2‡ ^U
Age group 45-54	Deaths	17	17	16
	Rate*	30.5	19.9‡ ^U	20.9‡ ^U
Age group 55-64	Deaths	17	45	40
	Rate*	57.5	67.1‡	52.3‡
Age group 65-74	Deaths	29	59	69
	Rate*	153.5	101.9‡	91.4‡
Age group 75-84	Deaths	25	51	50
	Rate*	240.0	136.4‡	139.9‡
Age group 85+	Deaths	11	19	11
± 100.000	Rate*	265.4	175.3‡	117.2‡ ^U

^{*}per 100,000 population

[†]adjusted to the 2000 U.S. population

[‡]These rates were averaged over a 3-year period to make them more stable. 1980 rates were averaged over 1979-1981. 1990 rates were averaged over 1989-1991.

U=unreliable rate (due to small numbers)

White females		2000 ICD-10 codes: E10-E14	1990 ICD-9 code: 250	1980 ICD-9 code: 250
All ages	Deaths	217	138	105
	Crude rate*	24.4	16.4	12.7
	Age-adjusted rate*†	18.0	13.6	12.3
Age group 25-34	Deaths	3	3	4
	Rate*	2.7	0.8‡ ^U	1.1‡ ^U
Age group 35-44	Deaths	3	9	7
	Rate*	2.3	2.5‡ ^U	2.4‡ ^U
Age group 45-54	Deaths	8	23	15
	Rate*	6.6	8.3‡	5.8‡ ^U
Age group 55-64	Deaths	22	55	34
	Rate*	23.8	21.8‡	13.6‡
Age group 65-74	Deaths	42	85	100
	Rate*	55.3	38.1‡	48.0‡
Age group 75-84	Deaths	69	130	113
	Rate*	128.4	88.2‡	102.0‡
Age group 85+	Deaths	69	79	52
	Rate*	310.7	167.5‡	160.3‡

^{*}per 100,000 population

[†]adjusted to the 2000 U.S. population

[‡]These rates were averaged over a 3-year period to make them more stable. 1980 rates were averaged over 1979-1981. 1990 rates were averaged over 1989-1991.

U=unreliable rate (due to small numbers)

Black females		2000 ICD-10 codes: E10-E14	1990 ICD-9 code: 250	1980 ICD-9 code: 250
All ages	Deaths	192	142	145
	Crude rate*	33.0	28.8	30.7
	Age-adjusted rate*†	41.6	35.0	38.1
Age group 25-34	Deaths	0	5	2
	Rate*	0	2.1‡ ^U	1.1‡ ^U
Age group 35-44	Deaths	10	8	17
	Rate*	11.5	4.4‡ ^U	14.7‡ ^U
Age group 45-54	Deaths	21	36	27
	Rate*	32.7	33.1‡	25.3‡
Age group 55-64	Deaths	26	79	66
	Rate*	70.8	82.8‡	64.4‡
Age group 65-74	Deaths	41	135	148
	Rate*	145.5	157.5‡	152.6‡
Age group 75-84	Deaths	49	133	116
	Rate*	263.5	227.8‡	234.9‡
Age group 85+	Deaths	42	77	51
	Rate*	471.9	376.6‡	329.7‡

^{*}per 100,000 population

[†]adjusted to the 2000 U.S. population

[‡]These rates were averaged over a 3-year period to make them more stable. 1980 rates were averaged over 1979-1981. 1990 rates were averaged over 1989-1991.

U=unreliable rate (due to small numbers)